



**Innovative Sealant &
Bonding Solutions for
Plumbing & Building
Professionals**

**8 Robberg Road, Plettenberg Bay
info@sealandbond.com**

sealandbond.com



**Innovative Sealant & Bonding
Solutions for Plumbing &
Building Professionals**

**8 Robberg Road, Plettenberg Bay
info@sealandbond.com**

sealandbond.com

OVERVIEW



HEAVY DUTY CLEAR PVC CEMENT

30850	118ml
30863	237ml
30876	473ml



HOT MEDIUM BLUE LAVA PVC CEMENT

32160	118ml
32161	237ml
32162	473ml



PVC SOLVENT CEMENT TUBES

33010	50ml
33012	100ml



PVC/CPVC PRIMER

30752	473ml
-------	-------



PTFE TAPE GERMAN DIN

5003012	PTFE GERMAN DIN 12mm	12mm x 0.1mm x 12m
5003030	PTFE GERMAN DIN 19mm	19mm x 0.1 mm x 30m
5003025	PTFE Q TAPE 12mm	12mm x 0.075mm x 10m



SILICON SELF-FUSING REPAIR TAPE

92010	3m x 25mm x 1mm
-------	-----------------

Innovative Sealant & Bonding Solutions for Plumbing & Building Professionals



PVC INSULATION TAPE

61010	BLACK	20m x 18mm x 0.18mm
61020	RED	20m x 18mm x 0.18mm
61030	BLUE	20m x 18mm x 0.18mm
61040	YELLOW	20m x 18mm x 0.18mm
61050	GREEN	20m x 18mm x 0.18mm
61060	WHITE	20m x 18mm x 0.18mm
61070	GREEN & YELLOW	20m x 18mm x 0.18mm



CONNECTORS

401212	PCT-212	GREY BUTT SPLICE, 2 CLOSED END
401213	PCT-213	GREY BUTT SPLICE, 3 CLOSED END
401214	PCT-214	GREY BUTT SPLICE, 4 CLOSED END
401215	PCT-215	GREY BUTT SPLICE, 5 CLOSED END
401218	PCT-218	GREY BUTT SPLICE, 8 CLOSED END
401202	PCT-2-2	GREY CONJOINT, 2 WAY
401203	PCT-2-3	GREY CONJOINT, 2 WAY



WIRE GEL CONNECTOR

401010	SELF-STRIPPING ELECTRICAL CONNECTORS
--------	--------------------------------------



TELECOM CONNECTORS

401020	UR2 TELECOM CONNECTOR
401030	UY2 TELECOM CONNECTOR



OATEY QUIET PIPE SHOCK ABSORBER

39177	OATEY QUIET PIPE SHOCK ABSORBER
-------	---------------------------------

HEAVY DUTY CLEAR PVC CEMENT



- ✓ Fast setting, heavy bodied solvent cement
- ✓ Pipe size up to 315mm
- ✓ 0 to 62 bar pressure
- ✓ Can be used for potable water, sewer and drain, waste and vent PVC piping systems

PRODUCT NO.	SIZE	CTN.QTY
30850	118ml	24
30863	237ml	24
30876	473ml	24

HOT MEDIUM BLUE LAVA PVC CEMENT



- ✓ Ultra-fast setting PVC solvent cement for wet and extremely humid conditions.
- ✓ Pipe size up to 160mm
- ✓ 0 to 62 bar pressure
- ✓ Can be used for potable water, sewer and drain, waste and vent PVC piping systems

PRODUCT NO.	SIZE	CTN.QTY
32160	118ml	24
32161	237ml	24
32162	473ml	24

PVC SOLVENT CEMENT TUBES



- ✓ Fast setting, heavy bodied solvent cement
- ✓ Pipe size up to 315mm
- ✓ 0 to 62 bar pressure
- ✓ Can be used for potable water, sewer and drain, waste and vent PVC piping systems

PRODUCT NO.	SIZE	CTN.QTY
33010	50ml	50
33012	100ml	25

PVC/CPVC PRIMER



- ✓ One step cleaner and primer
- ✓ For PVC & CPVC
- ✓ Softens and prepares PVC pipe for high quality welds

PRODUCT NO.

SIZE

CTN.QTY

30752

473ml

24

PTFE TAPE GERMAN DIN



- ✓ 100% PTFE
- ✓ For sealing metal and synthetic threaded connections
- ✓ Oxygen grade
- ✓ UV resistant
- ✓ Mould resistant
- ✓ Chemical resistant
- ✓ Removable
- ✓ Immediately loadable

PRODUCT NO.	DESCRIPTION	SIZE	CTN.QTY	BOX QTY
5003012	PTFE GERMAN DIN 12mm	12mm x 0.1mm x 12m	1000	250
5003030	PTFE GERMAN DIN 19mm	19mm x 0.1 mm x 30m	500	100
5003025	PTFE Q TAPE 12mm	12mm x 0.075mm x 10m	1000	250

SILICON SELF-FUSING REPAIR TAPE



- ✓ Seals leaking pipes, hoses, tubing and fittings
- ✓ Domestic repairs to your washing machine, vacuum cleaner, drain, garden, or pool cleaner hoses
- ✓ Electrical cable insulation and sealing
- ✓ Temporary automotive repairs to your radiator hose, fuel line, or air hose
- ✓ Non-slip grip for tool handles
- ✓ Boat rigging repairs
- ✓ Corrosion protection

PRODUCT NO.	SIZE	CTN.QTY
92010	3m x 25mm x 1mm	20

PVC INSULATION TAPE



AVAILABLE COLOURS



- ✓ Professional grade PVC insulation tape
- ✓ Flame retardant
- ✓ Insulation up to 600V
- ✓ UV & water resistant
- ✓ Flexible and conformable
- ✓ UL listed 57RJ
- ✓ Non-corrosive adhesive



PRODUCT NO.	COLOUR	SIZE	CTN.QTY
61010	BLACK	20m x 18mm x 0.18mm	250
61020	RED	20m x 18mm x 0.18mm	250
61030	BLUE	20m x 18mm x 0.18mm	250
61040	YELLOW	20m x 18mm x 0.18mm	250
61050	GREEN	20m x 18mm x 0.18mm	250
61060	WHITE	20m x 18mm x 0.18mm	250
61070	GREEN & YELLOW	20m x 18mm x 0.18mm	250

CONNECTORS



- ✓ No screwdriver needed to connect your wires
- ✓ Ideal for looping light fittings and splitting off circuits
- ✓ The orange levers act as clamps to keep the wires firmly locked in place for dependable connections

CODE	DESCRIPTION	IMAGE	SPECS	SOLID W	STRANDED	STRIP LENGTH
PCT-212 401212	Connector Gray Butt Splice, 2 Closed End		400v 32A	0,08 - 4.0mm ²	0,08 - 2.5mm ²	9 - 10 mm
PCT-213 401213	Connector Gray Butt Splice, 3 Closed End		400v 32A	0,08 - 4.0mm ²	0,08 - 2.5mm ²	9 - 10 mm
PCT-214 401214	Connector Gray Butt Splice, 4 Closed End		400v 32A	0,08 - 4.0mm ²	0,08 - 2.5mm ²	9 - 10 mm
PCT-215 401215	Connector Gray Butt Splice, 5 Closed End		400v 32A	0,08 - 4.0mm ²	0,08 - 2.5mm ²	9 - 10 mm
PCT-218 401218	Connector Gray Butt Splice, 8 Closed End		400v 32A	0,08 - 4.0mm ²	0,08 - 2.5mm ²	9 - 10 mm
PCT-2-2 401202	Conjoint Gray Connector, 2 way		400v 32A	0,08 - 4.0mm ²	0,08 - 2.5mm ²	9 - 10 mm
PCT-2-3 401203	Conjoint Gray Connector, 3 way		400v 32A	0,08 - 4.0mm ²	0,08 - 2.5mm ²	9 - 10 mm

WIRE GEL CONNECTOR



- ✓ Uses the principle of self-stripping connection by the U-shaped metallic element
- ✓ The connectors are filled with a sealant to provide moisture resistance
- ✓ Material: Plastic casing, gel filled
- ✓ Connector for 2 or 3 wires
- ✓ Max out diameter: 1.67mm
- ✓ Cable diameter: 0.4 - 0.9mm
- ✓ Applications: Telephone wires, data signal cables, and other conductors
- ✓ Insulation: 2.08mm
- ✓ Colour: Blue
- ✓ Easy to use and fast installation

PRODUCT NO.	PRODUCT	CTN.QTY
401010	SELF-STRIPPING ELECTRICAL CONNECTORS	200

TELECOM CONNECTORS



- ✓ Uses the principle of self-stripping connection by the U-shaped metallic element
- ✓ The connectors are filled with a sealant to provide moisture resistance
- ✓ Material: Plastic casing, gel filled
- ✓ Connector for 2 or 3 wires
- ✓ Max out diameter: 1.52mm
- ✓ Cable diameter: 0.4 - 0.9mm
- ✓ Applications: Telephone wires, data signal cables, and other conductors
- ✓ Insulation: 2.08mm
- ✓ Colour: Yellow or Red
- ✓ Easy to use and fast installation

PRODUCT NO.	PRODUCT	CTN.QTY
401020	UR2 TELECOM CONNECTOR	200
401030	UY2 TELECOM CONNECTOR	200

OATEY QUIET PIPE SHOCK ABSORBER



- ✓ Oatey® Quiet Pipes® Hammer Arrestor helps solve current and potential water hammer problems
- ✓ Quiet Pipes uses a piston design to help absorb the water shock in the system
- ✓ When a valve is closed abruptly, the water moves into the pressurized chamber of the hammer and the water pressure is absorbed to prevent banging within the pipeline
- ✓ Once the water flow comes out of the chamber, it is dissipated to the rest of the water line
- ✓ Oatey products have earned the trust of plumbing professionals for over 100 years

PRODUCT NO.	PRODUCT	CTN.QTY
39177	OATEY QUIET PIPE SHOCK ABSORBER	6



seal  **and bond**

8 Robberg Road, Plettenberg Bay
info@sealandbond.com

sealandbond.com